

Context-based modelling of shared context of pair of actors in decision-making

Patrick Brézillon* and Patrick Humphreys**

*Sorbonne Université, Paris, France

**London School of Economics and Political Science, UK

Email for correspondence: Patrick.brezillon@gmail.com

orcid.org/0000-0003-4009-2934

Abstract

This paper presents a formalisation of context for use in real-world applications in coordination with concepts coming from Cognitive Sciences. Our AI approach is centred on the modelling of actor's experience for accomplishing an activity in different contexts. An actor develops each time a mental model as an operational explanation of an activity in a specific context, and concretises experience in a mental representation containing all the mental models created in the different contexts where the activity was realised. The approach is based on activity modelling in a referential at four levels, namely conceptual, operational, implementation and environment levels. The Contextual-Graphs (CxG) formalism, which achieves the four components of the approach for one actor activity (CxG_1.0 version) and for group activity (CxG_2.0 version). The resulting software offers a new vision of context as proceduralised context leading to a definition of real time context and to a CxG-based simulation tool for following contextual reasoning during activity development, especially collaborative activity. The objective of the paper is the modelling of shared context between two actors for decision-making. The different aspects of the CxG formalism are discussed in the Anam Cara Ontology project that studies the interactions of nannies with their Anam Caras (soul friends).

Keywords: AI systems, decision-making, activity, mental model, contextual reasoning, contextual-graphs

1 Introduction

In living sciences, the scientific approach for developing knowledge aims to formalise concepts by confrontation of a model to observable phenomena of a real system (Brézillon 1983). It is called a hypothetical-deductive approach with an inductive complement when the model fails to explain observable phenomena: ideas need to be revised and the model improved. We adapt this scientific approach for modelling in AI how an actor carries out an activity in a given situation with a local environment with the needed resources for the realisation of the activity (Brézillon, 2026). Such conditions constitute the context of the activity.

Our approach is based on a modelling of actor's activity at four levels, namely, conceptual, operational, implementation and environment levels. We also consider activity modelling carried out by a group of actors by naturally extending the framework used for one actor activity. A context-based formalism of representation plays an important role of "concept revealer" in an activity model at different levels from concepts to an operational model and finally to an implementation to be fed at context sources in activity environment. Reasoning is defined in various disciplines (more or less formal) along different priorities: formal exploration of logical rules, psychological mechanisms, or even practical applications. Reasoning consists of starting from collecting, assembling and structuring contextual knowledge and information for making a valid decision that maximises the means to use for a given goal. Thus, decision-making is central in a number of activities.

This paper presents a research work ascribed in the framework of the WG8.3 task force "Learning from Case Studies in Decision-Making and Support" with companion papers also submitted to the DSS 2026 Conference, (Bedi and Humphreys, 2026; De la Cerda et al., 2026). All the papers were written without cross-references to respect the constraint of blind review of the journal. The

modelling of actor-anam cara interactions in the framework of the task force is just at the operation decisional level. The CxG formalism also have serious interests for the context-based modelling of shared context developed by pairs of actors in decision-making at the other decisional levels: Policy (change of professional orientation); Strategy (enrich personal competences, e.g. with new digital technologies); Tactic (introduce LLM in professional domain, e.g. design an AI tutor in insurances); Operation (accept to say NO to referents with the help of an anam cara). The approach in terms of decisional levels will be the subject of another paper.

Section 2 presents our approach for modelling actor activity at four levels, from the more abstract to the more concrete one, starting from concepts used in our modelling with refinement of the concepts at the lower levels. Section 3 presents group-activity modelling as an extension of the actor-activity infrastructure. Section 4 illustrates the feasibility of the CxG-formalism approach on a anam cara helping an actor during his decision-making for selecting the best decision. Section 5 presents the closest works related to our approach, and Section 6 concludes by showing an opening for other research on this topic and for merging the CxG formalism with new promising ways.

2 Modelling levels for actor activity

2.1 Introduction

The general framework for modelling actor activity is presented in (Brézillon, 2026), we give here only few characteristics. There are four modelling levels: (1) the conceptual level where ideas are stated on the basis of concepts of interest for modelling an activity, (2) the operational level where ideas are formalised in a mental model, thanks to a relevant context-based formalism of representation, (3) the implementation level where mental representation of the actor is expressed in a contextual graph from where is extracted the mental model as a path and (4) the environment level where the model, first, interacts with the activity environment (and mainly actor as source of context), and, second, from where contextual elements are instantiated when needed from the four context sources. In this framework, the activity model exists jointly at the operational level (actor's understanding of the activity as a mental model) and at the implementation level (a sharable understanding of the activity development in its environment as a path in a contextual graph), while the fourth level concerns environment. Operational and implementation levels represent two views on actor's experience (as mental representation and as contextual graph) on the development of a mental model from the mental representation.

2.2 Conceptual level

The conceptual level concerns the concepts "activity", "reasoning", "context", "contextual element" and "experience", these concepts of interest being not (at least totally) formalised. Our goal is to propose a formalisation of "context" in order to have an efficient formalism for modelling the other concepts of interest. We adhere to the definition of Sarrazin et al. (1996): "an activity is the (physical and mental) behaviour that an actor exhibits for realising a task". The notion of activity encompasses that of "task realisation" including actor that accomplishes the task. Modelling an activity involves modelling reasoning to justify the move from a step to the next one. As a consequence, an actor apprehends an activity through a mental model including its development (reasoning steps with processes and decision holds at each move between steps). At the end of each activity step, the next step is chosen by either a deductive (i.e. sequential) reasoning or contextual knowledge if there are alternatives.

Decision-making, as an operational representation of reasoning, often is described as the process of collecting, assembling and structuring the relevant knowledge and information to contextualise the decision for action. Reasoning is a cognitive process that underlies and guides the activity, and the actor is part of the context-based modelling loop.

Context allows distinguishing contextual knowledge and external knowledge concerning activity development. Contextual knowledge is the set of elements related in a flat way to activity development, while external knowledge concerns elements of the context that are not important for the actor's focus at hand. Context changing during activity development, the frontier between the two types of knowledge is porous. An element of contextual knowledge can become external if it is no more of interest, and, conversely, an element of external knowledge can become contextual because considered for the development of the activity.

2.3 Operational level

The concepts chosen at the conceptual level acquire an efficient expression through a context-based formalism at the operational level. We also retained from Cognitive Sciences the notions of mental representation and mental models, but with a different interpretation on the relationships between them. An activity is more than a task model, because it integrates how the task is realised and actor's reasoning held. The context-based formalism provides an expression of actor's experience as a mental representation that brings together all activity developed in different contexts. For simplifying the introduction of context from different sources in activity modelling, we assimilate context to a set of contextual elements. A mental model is an internal representation of external reality (Craik, 1943) to anticipate events, and mental representation accumulates mental models obtained in different contexts. An actor, facing a known activity, does not seek to have a global picture of the activity but wants to follow step-by-step the reasoning to detect if all elementary decisions were justified in the context at hand or how a reasoning step must be changed.

The actor develops a mental model based on identification of the relevant contextual elements and the recovery of their instantiations in the context at hand. Identification and instantiation of contextual elements are parts of reasoning from one step to the next one. This step-by-step evolution of the activity produces an ordered sequence of instantiated contextual elements that we call hereafter the proceduralised context. Proceduralised-context building, first part of decision-making, concerns the gathering, assembling and structuring of instantiated contextual elements. The proceduralised context expresses a real-time context, which evolves jointly with the mental model development.

2.4 Implementation level

Mental model and mental representation correspond to a qualitative modelling that makes sense mainly for the actor but need to be implemented to be confront to the environment and shared with others. The CxG formalism allows a uniform representation of knowledge, reasoning and context for describing an activity as a process, not as object (Brézillon, 2023). A contextual element is implemented as a pair of contextual and recombination nodes (Brézillon et al. 2000). This definition has a deep impact on the power of the CxG formalism. Figure 1 shows the four components of the CxG formalism that are action, contextual element, activity, and Executive Structure of Independent Activities (ESIA).




Figure 1 Components of CxG formalism in the CxG software

An action (the green square) is the elementary component of the activity. Contextual elements (the blue circles) are described just below. An activity (pink elongated oval) is a contextual subgraph that may appear on several paths in the global contextual graph or introduced by the actor for different types of knowledge. An Executive Structure of Independent Activities (ESIA, the vertical red bars) avoids the introduction of an artificial complexity in the representation for a local goal. The order for executing independent activities in an ESIA does not matter (activities can be executed in parallel too), but both independent activities must be executed before to continue the crossing of the contextual graph. An ESIA also is assimilated to a building block of the CxG formalism, like an action or an activity, because its content is isolated of the rest of the activity described in the contextual graph.

CxG software¹ is currently written in Java under GNU Public License and contextual graphs are stored in XML for a reuse in other applications. Software design and development was user-centred for an intuitive use by nonspecialists in computer science and mathematics (see Brézillon, 2026) for an extended presentation). A contextual graph integrates mental models because two mental models generally differ by only different instantiations of an existing contextual element that do not affect the structure of the contextual graph, or by an additional contextual element in one mental model by simple accommodation.

The implementation of a contextual element as a pair of contextual and recombination nodes in the contextual graph offers functions that enlarge the operational nature of the modelling:

- There are as many exclusive branches between a pair of nodes as instantiations of the contextual element.
- Instantiations are provided from sources of context at the environment level.
- Each branch corresponds to an expression of the reasoning step associated with the instantiation and makes the mental model unique.
- contextual elements and instantiations must be managed separately.
- Two contextual elements are either independent or one is on a branch of the other. It gives to contextual graphs a series-parallel structure.

2.5 Environment level

¹ The software is available freely from the author on simple request.

The immediate environment of an activity is all that is not in the activity but constrains its development. The two elements at this level are the sources of context and the instantiation of a contextual element. The four sources come from the actor, the activity, the situation and the available resources needed in the local environment. They provide in routine the instantiations for contextual elements on the path followed by the reasoning in the contextual graph. Actors play a central role in activity modelling because knowledge in a contextual graph is mental representation and experience of the actor. Moreover, the actor is responsible for fixing unexpected situations. First, the mental model is correct, but its context is new for the actor and thus not in the contextual graph. Second, a contextual element is missing in the model because it kept the same instantiation in all previous contexts (the constant instantiation is integrated in the activity before the development). Third, the activity must be performed in a radically different context that requires an extension of the activity model.

For efficient decision-making, actors seek first to identify the context at hand to determine the sequence of actions to realise and act rapidly. The context of a mental model can be analysed by unfolding the proceduralized context, and the “what to do” is provided by the list of actions to execute.

Garcia and Brézillon (2018) proposed a tree representation of an activity model, based on the series-parallel structure of contextual graphs, to interpret a mental model more easily than the graph representation. In this tree representation, the tree corresponds to the mental representation, and each branch corresponds to a mental model. Thus, mental models present two parts: diagnosis and action. Diagnosis part is the proceduralised context, and action part contains the “macro action” corresponding to this specific context. In several domains, operators reason first on the context of the problem to fix, and, second, prepare their decision-making according to the context.

3 Extension of the CxG formalism to group activity

3.1 Formal aspects

A group activity is a sequence of individual interventions of actors, interventions being considered as independent subtasks. As a consequence, the activity of each actor becomes a set of independent subtasks in the group activity, and group mental model must be built as a sequence of actors' interventions). Building a group mental model consist of adding an actor's independent subtask at the end of the sequence of previous independent subtasks already built and assembled, once the last subtask has its contextual elements instantiated. This double operation of building and developing the group mental model is managed by reserved contextual elements that controls the cyclic use of the directed acyclic contextual graph by determining which actor (net manager) has to take in charge the next cycle and for which independent subtask. The cyclic use of the directed contextual graph (at implementation level) relies on the concepts of turn (the crossing of the contextual graph for developing an independent subtask) and shared context (transfer of information between turns). Figure 2 presents the four-modelling level framework description (extension of the previous one).




Figure 2 Group activity at the four modelling levels

The cyclic use of a contextual graph is concretised on figure 2 at implementation level by the rounded arrow at the head of the word “Contextual graphs”. Mental-model building results of the paths used cyclically in the contextual graph. At operational level, the arrow from mental model to mental representation on figure 2 points out the fact that, once built, the mental model could enrich the mental representation of the group. Reserved contextual elements are MANAGER, SENDER, RECIPIENT and TASK_STATUS. The manager is the actor that executes an independent subtask on request of a sender, the independent subtask being identified by task_status and transmitted to recipient. The contextual graph is organised for supporting turns with (1) selection of a manager (instantiated by an actor) for realising an intervention, (2) selection of an independent subtask in manager’s activity to perform, (3) the designation of the next manager and its independent subtask to execute at the next turn. As such, a sequence of turns constitutes a CxG-based simulation.

The shared context contains the previous results, normal and reserved contextual elements that the manager can access during each turn. A new turn starts each time the shared context has been modified initially. The contextual element is presented as a question, for example “MANAGER?”, “TASK_STATUS?”, and the instantiation corresponds to one answer to the question that is associated with an independent subtask on the corresponding branch between contextual and recombination nodes. Instantiation is specified by an action like « MANAGER = anam cara » at the end of the previous turn. If no instantiation is indicated, the value “nil” is taken by default, and the activity development will be stopped. During cyclic use of a contextual graph, shared context plays the role of an inference engine for managing the CxG-based simulation of the the group-activity development. The shared context is the medium of communication among actors on the current state of the group activity when its development moves from one actor to another one. Shared context emerges out of interactions and experiences among group actors. The turn-by-turn building of a mental model offers the possibility to redo a turn for analysing the intervention of an actor in a different context in a kind of “what if” search. The shared context opens the door to more options like (Garcia and Brézillon 2018):

- The simulation can be stopped at the end of any turn (with “RECIPIENT = <nil>”).
- Reserved contextual elements control the management of conflict, negotiation, alternative checking among actors and realisation of a given subtask in different contexts.
- An actor can change the objective of an actor when an unexpected event occurs (e.g., a selected object is not adapted to the objective), allowing backtracking in one actor's reasoning or the group.
- The same activity can be given to several actors (e.g., reviewers in submission management).
- An independent subtask may have different outputs that make reasoning nonlinear.

- Independent subtasks can be reused in different combinations and several times with a unique implementation, thanks to the separation of contextual element and instantiation.
- An actor may change the instantiation of a contextual element that is used in a subtask of another actor (or several other actors).

Making explicit the shared context allows to follow the reasoning held during a group activity and thus to have an explainable CxG-based simulation of the group-activity development.

4 Feasibility of an anam cara helping an actor to face a trap in his decision-making

In this paper, an anam cara (actor A1) helps a young (actor A2) in his decision-making for selecting the right decision (e.g. “prepare exam” instead of “accept friends party”). At the operational level, A2 faces a trap because the two potential decisions have the same importance for him (pass his exam for the future, and do not deceive friends by missing the party). Based on the elements provide by A2, A1 try to retrieve the trace of A2’s reasoning to identify the bifurcation point between revision and friends party). Then A1 will point out an hidden contextual element to A2 for eliminating the trap, for instance “friends” will understand that passing the exam is important to be in the upper class next year (short term) and to be hired for the wished job later (long term). Thus, A1-A2 interactions aim to enrich the shared context in order to place A1 in a position for a rational decision. Although this example simply shows the feasibility of the approach, we applied previously this approach (at operational and implementation level) for an experiment in which two participants had to co-build an answer to a question like how oysters build pearls? (Brézillon, 2026; Brézillon et al., 2006).

Figure 3 revisits the example at the implementation level based on proceduralized-context building from actor working contexts and shared context. CE standing for contextual element, A1 introduces the contextual element CE_1 “the two decisions “revise exam” and “there is a moral obligation to go at friends party” are incompatible. CE_1 belongs to their shared context and thus accepted by both actors. When A1 proposes the introduction of CE_2 “close friends would understand the importance to prepare exam”, A2 does not know and thus has no reference to CE’_2 in his working context, and needs explanations (provide by A1 directly in their shared context by the hidden traits) for accepting CE’’_2. Once both agree on CE’’_2 (compatible interpretation of CE_2 in shared context). Once A2 agrees to the contextual element, the proceduralized context for the decision “prepare exam” is completed after A2 received the positive answer of friends.




Figure 3 Building the proceduralized context in the shared context

In this example, the actor A2 may be under the pressure during task accomplishment of different social influences like the rules in the enterprise, family traditions and mandatory laws of religion. Often the task cannot be automated because the human dimension plays a major role, and the way in which the task is realised seems to be more of an art than a science (frequent situation in medicine). Generally, support comes after a triggering event, a person that manifest an empathy for the actor, either a close person like in family or an external person. In Psychology, such a person is called Anam Cara (soul friend in the Irish story), and the other actor establishes a shared context within human consciousness that gives access to this world through its operations (Bedi et al., 2026).

An anam cara only advises or suggests the actor for avoiding the trap during his mental-model building. In the CxG formalism, the contextual graph corresponds to the mental representation (the sum of the mental models developed), and each mental model is a path in the contextual graph. Based on experience with other actors, the anam cara intervenes by the co-management of contextual elements and their instantiations in the mental model of the actor for leaving mental model with the trap by proposing variants in the line of reasoning with new contextual elements, or simply different instantiations of known contextual element. Moreover, the building of the proceduralized context may generate relevant explanations on reasons for using the new line of reasoning. In other words, Anam cara's external viewpoint guides the actor to have this type of introspection on mental model by putting on the table all the sensible contextual elements—especially those left implicit in previous proceduralised contexts—to propose another instantiation possible or not, enrich the contextual graph of the actor, allow a new mental-model accomplishment, and reinforce the self-confident of the actor.

The context-based modelling of the shared context is realised in the CxG_2.0 version of the CxG formalism (Brézillon, 2023). The contextual graph associates with actor's mental representation contains as many branches as independent subtasks representing different questions and answers to anam cara's questions (and reciprocally for the anam cara). Note that a question corresponds to a contextual element and answers are values known for each question, the instantiation being the selected answer. A complete model of the shared context will be developed later. Questions and answers are grouped in five classes of contextual elements (personal, activity, situation, social aspects, practical aspects) as established in the study of the analysis of an internship offer by students (Brézillon, 2026). These classes of contextual elements are used in the contextual graph for simplifying the global mental representation of actors.

The crossing of the contextual graph represents a reasoning step held by the actor that follows a path in several turns in the contextual graph. The Reserved contextual element « TASK_STATUS » is an accumulation of traps, mood being a contextual element instantiated at « bad ». For example, after questioning on what to do (personal class), the next actor's reasoning step explains that there is a conflict with an external referent. The cyclic use of the contextual graph offers the opportunity to develop a reasoning (personal or collective) step by step. The collective reasoning (anam cara and actor) is developed during interactions (by MANAGER instantiated to “anam cara” or “actor”) until the shared context stops to be modified.

On figure 4, the contextual graph contains contextual elements organised in the initial classes (personal, situation, activity, social aspects, practical aspects), and only the actor mental representation is (very partially) developed. Green square boxes represent actions (sentences in this application like « I have the feeling of pressure with different aspects » in action 143). Light brown squares represent the instantiation of reserved contextual elements (in capital letters). The blue circles represent contextual elements that need to be instantiated. The crossing of the contextual graph corresponds to the execution of an independent task by either the actor or the anam cara,

although that this part is not yet developed for the anam cara. The series of crossings constitutes a CxG-based simulation (see figure 5).




Figure 4 Contextual Graph for actor-anam cara interactions




Figure 5 A short simulation of the preliminary turns during actor-anam cara interactions

Figure 5 shows a specific exchange (three turns) between the actor and the anam cara that can be followed in the trace of the simulation on figure 5 (text trace at left and graphic trace at right). At the first step, the actor says to do not feel comfortable, and has questions about the family. The next crossing (step 2) is triggered by the actor for completing first utterance (a conflict with an external referent), and step 3 is for the Anam Cara reaction. In step 2, spontaneously, the actor says that the problem is with an external referent which is highly respected that by the family. The step 3 just indicates that the anam cara ask the actor a question to clarify what the trap is exactly. Different types of interaction can be represented, completing an answer like in step 2, the actor can come back on what was said after an anam cara's comment, the goal of the exchanges being to lead the actor to revise initial judgment on the trap. The conversation can also concern technical points.

Moreover, the example illustrates two other important features of the CxG formalism, namely a real-time definition of context and a modelling of the contextual reasoning. First, the proceduralised context provides a structure on the evolution of the interactions than can be

« replay » later, thanks to its representation as an ordered sequences of instantiated contextual elements (with initially RECIPIENT = actor). For example, context development during step 1 is described as:

MANAGER(actor) - Class—contextual_elements(personal) - Personal
problem(questioning) - [actions] - Continue_to_develop(yes) - RECIPIENT(actor)

Second, it is also possible to model contextual reasoning by adding to the proceduralised context the action executed once a contextual element is instantiated:

MANAGER(actor) - Class_contextual_elements(personal) - Personal
problem(questioning) - TASK_STATUS(+personal-bad_mood) + **Action 143** -
Continue_to_develop(yes) - RECIPIENT(actor)

In that sense, the proceduralised context appears as the real-time context and a context-based model of the reasoning.

There is a third connection with decision-making. Simon (1979) proposed a framework for describing decision-making process with four phases, intelligence, design, choice, review. This holistic view on decision-making can be reviewed in CxG formalism view where « intelligence » consists of the selection of the relevant contextual elements, « design » is the progress on a path in the contextual graph by the ordered instantiation of the contextual elements, « choice » correspond to the elementary decision to make (either choice on the following contextual element to instantiate or the execution of an action), and « review » is to reflect the result of the local decision at the global level of the decision-making process.

5 Related works

There are very few works in the literature on modelling and use of context in real-world applications (see Brézillon, 2026, for an extended presentation). A reason is theoretical attempts to use existing tools like Logics in which context is considered as a first-class object. The two main schools were around John McCarthy (with later, Buvac), and Fausto Giunchiglia and his team in Trento (Italy). Main divergence with our research were different grounds for modelling context because their orientation toward logics is not directly concerned by modelling context in real-world applications. Nevertheless, two important findings of McCarthy (1993) resonate with ours:

- (1) A context is always relative to another context with the corollary that context cannot be described completely because it has an infinite dimension;
- (2) When several contexts occur in a discussion, there is a common context above all of them into which all terms and predicates can be lifted.

There are other pragmatic approaches like ours. For example, Dey (2001) and his team have a bottom-up approach of context-aware applications based on the Context Toolkit, not human activity (more top-down). The popular definition given by Dey is "Context is any information that can be used to characterise the situation of an entity. An entity is a person, place, or object that is considered relevant to the interaction between a user and an application, including the user and applications themselves." It is easy to retrieve our four sources of context. The Context Toolkit contains a combination of features and abstractions to support context-aware application builders. The approach aims to acquire a certain type of context information (generally through sensors) and it makes that information available to applications in a generic manner, regardless of how it is actually sensed and modelled. Thus, the origin of context for Dey is more on data and information than on knowledge and reasoning as in our approach.

5. Conclusion

This scientific approach was applied over 25 years of research on how to model and use context in real-world applications on a spectrum from technology-centred to human-centric applications, that is, from well-defined domains to no formal ones, but all having the goal to model an activity. The presentation is discussed on the modelling of shared context in “anam cara-actor interactions” that has all the necessary ingredients to explain the potentiality of the proposed approach.

Our research is part of an approach to designing and implementing AI systems that aim to understand actor(s) through their decisions, actions, and behaviours. Modelling actors’ experience was central to our research and led at a four-level framework: conceptual, operational, implementation and environment levels. For instance, contextual knowledge (conceptual level) is represented as contextual elements (operational level) and designed as a pair of contextual and recombination nodes (implementation level). The model of an activity has two sides, an operational one, on that an actor uses for accomplishing an activity based on a mental model drawn from his mental representation, and an implementation one, a contextual graph that can be used and readable by other actors. The focus of attention for modelling activity allows dividing separation of context in contextual knowledge and external knowledge. The explicit integration of context in the representation (through contextual elements and their instantiations) follows the human style of actors’ activity (collecting and structuring information, making decisions, and acting). On the AI side, the CxG formalism of representation plays the role of "concept revealer" in a model.

We consider that a mental model is either a path in the contextual graph (in actor activity modelling) or a sequence of independent subtasks that define actors’ activities (in group-activity modelling). The mental model is developed from the mental representation in the actor version, but initially must be built in real time from independent subtasks and then developed in the group version. The changes in the group version, with respect to the actor version, are the recording of independent subtasks in the mental representation instead of mental models and the cyclic use of the contextual graph to build a mental model. The notion of group activity is dynamically modelled at two levels: first, at an operational level (turn sequences), and second, at the implementation level (cyclic use of the directed contextual graph). Another important concept is the shared context that makes possible the cyclic use of a directed, acyclic and series-parallel contextual graph and the existence of CxG-based simulation as a natural function of the CxG software. The shared context is used as an inference engine for group-activity building, the engine assuring the turn mechanism in CxG-based simulation. A turn is a local contribution of an actor to the group activity, and the turn mechanism plays a synchroniser role in the dynamic assembling of independent subtasks for building mental models, thanks to reserved contextual elements that monitor turn management. The CxG-based simulation is a function of the CxG formalism for group activity. This tool also offers the possibility of managing other tasks simultaneously (jointly with their realisation), such as negotiation, changes in objectives, and looking ahead, thanks to context management. It is possible to “replay” the CxG-based simulation in different contexts.

Contextual reasoning explains the mental-model development as a path from the input to the exit of the contextual graph, on which contextual elements are instantiated. Contextual reasoning can be nonlinear (e.g. glocal search, voting system, or the Contextualisation-Decontextualisation-Recontextualisation approach) (Brézillon 2023), and contextual elements themselves, with their implementation as pairs of contextual and recombination nodes, behave as units of contextual reasoning at an operational level. The CxG formalism is effective for modelling an activity as a mental representation, not for visualising the evolution of a mental model in a specific context. A tree representation supports a simple visualisation of contextual reasoning (and all its known variants) in the CxG formalism. The mental-model tree view shows to actors the relevant contextual elements as a proceduralised context (the ordered sequence of instantiated contextual elements) and each branch of the tree contains a proceduralized context and the actions to quickly make decisions.

By putting context front stage in the Contextual-Graphs formalism, we obtain a uniform representation of knowledge, information, reasoning and context coming from sources of different natures. We thus model activities in very different domains (subway, army, different types of cancer in medicine and workflows), thanks to the Contextual-Graphs formalism that is very simple to use. Finally, the CxG formalism is a passport for intelligent systems based on human experience. The “hard kernel” of our approach is the explicit modelling of context in activity, which leads to a homogeneous view of how a class of AI systems can become context-based intelligent systems, especially context-based intelligent assistant systems (CIASs) (Brézillon 2023) which aim at reuse and extend human experience based on how this experience grows. CIASs developed in the CxG formalism offer the possibility to model contextual reasoning with context-based simulation, a powerful modelling tool for CIASs.

References

- Bedi, J and Humphreys (2026) "Anam Cara Support for sustainability of young persons' decisions in challenging contexts". *Journal of Decision systems*, in press.
- Brézillon, P. (1983) *Place et rôle du modèle en biologie: - son intérêt et ses impératifs (Tome I); - son application à l'étude de la représentation compartimentée des métabolismes de la sérotonine et du calcium (Tome II)*, Thèse de Doctorat d'État, Université de Paris VI, France
- Brézillon, P. (2023). *Research on Modeling and Using Context Over 25 Years*. In Brézillon, P. (Ed) Springer, *Briefs in Computer Science*, Book ID 607719_1_En, Book DOI: 10.1007/978-3-031-39338-9 (10.1007/ISBN)
- Brézillon, P. (2026) *Context-based Modeling of Activity in Real-World Projects*. *Information Systems, Web and Pervasive Computing Series*. Publisher ISTE-WILEY, ISBN: 9781836690955
- Brézillon P., Draï-Zerbib V., Baccino T. and Therouanne T. (2006) *Modeling collaborative construction of an answer by contextual graphs*. *Proceedings of IPMU*, Paris, France, May 11-13, 2006.
- Brézillon, P., Pasquier, L. and Pomerol, J.C. (2000) *Representing operational knowledge by contextual graphs*. *Advances in Artificial Intelligence*, M.C. Monard, & J.S. Sichman (Eds.). Berlin: Springer. LNAI 1952, 245-258
- Craik, K.J.W. (1943) *The nature of Explanation*. Cambridge University Press. ISBN 978-052109445.
- De la Cerda, O. and Saavedra Ulloa, *CLEHES and Anam Mara: enactive tools and transformation in environmental care*. (Paper for presentation at IFIP WG8.3 DSS2026 Open Conference, Cork, Ireland)
- Dey, A.K. (2001) *Understanding and using context*. *Personal and Ubiquitous Computing* 5(1): 4-7. DOI: [10.1007/s007790170019](https://doi.org/10.1007/s007790170019) Accessed October 06, 2024
- Garcia, K. and Brézillon, P. (2018) *Model visualization: Combining context-based graph and tree representations*. *Expert Systems With Applications*, 99(1): 103-114
- McCarthy, J. (1993) *Notes on formalising context*. *IJCAI*, 555–560

Sarrazin, P., Biddle, S., Famose, and J.P. et al. (1996) Goal orientations and conceptions of the nature of sport ability in children: A social cognitive approach. *British Journal of Social Psychology* 35: 399-414

Simon, H. (1979) *The New Science of Management Decision* (3rd Ed.), Englewood Cliffs, NJ: Prentice-Hall